



**SERIES ADJUSTMENT 1033-08**  
**May 29, 2008**

**IHOP Corp (IHP) - Change Announcement**  
**Ex-Distribution Date: 6/2/2008**

IHOP Corp will have the following changes made on the date shown below.

**Effective Date Of Change:** Monday, June 02, 2008

**Name:** IHOP CORP changes to DineEquity, INC.

**Ticker Symbol:** IHP changes to DIN

**OPRA Option Symbol(s):** IHP becomes DIN

**Primary Exchange:** No Change

**Cusip Number:** 449623107 Changes To 254423106

**GTC Order Cancellation:**

Customers should be advised that all Good-til-Cancelled (GTC) orders not on AUTOM must be cancelled and re-entered prior to the ex-distribution or effective date. GTC AUTOM orders will be deleted by PHLX Service Desk/AUTOM personnel.

IHOP CORP(IHP)  
 (Before 6/2/2008)

DineEquity, INC.(DIN)  
 (Beginning 6/2/2008)

<u>PHLX Series</u>	<u>OPRA</u>	<u>Month</u>	<u>Strike</u>	<u>Calls/Puts</u>	<u>PHLX Series</u>	<u>OPRA</u>	<u>Month</u>	<u>Strike</u>	<u>Calls/Puts</u>
IHP8Jun10.0C/P	IHP	Jun	10	FB/RB	DIN8Jun10.0C/P	DIN	Jun	10	FB/RB
IHP8Jun12.5C/P	IHP	Jun	12.5	FV/RV	DIN8Jun12.5C/P	DIN	Jun	12.5	FV/RV
IHP8Jun15.0C/P	IHP	Jun	15	FC/RC	DIN8Jun15.0C/P	DIN	Jun	15	FC/RC
IHP8Jun17.5C/P	IHP	Jun	17.5	FW/RW	DIN8Jun17.5C/P	DIN	Jun	17.5	FW/RW
IHP8Jun20.0C/P	IHP	Jun	20	FD/RD	DIN8Jun20.0C/P	DIN	Jun	20	FD/RD
IHP8Jun22.5C/P	IHP	Jun	22.5	FX/RX	DIN8Jun22.5C/P	DIN	Jun	22.5	FX/RX
IHP8Jun25.0C/P	IHP	Jun	25	FE/RE	DIN8Jun25.0C/P	DIN	Jun	25	FE/RE
IHP8Jun30.0C/P	IHP	Jun	30	FF/RF	DIN8Jun30.0C/P	DIN	Jun	30	FF/RF
IHP8Jun35.0C/P	IHP	Jun	35	FG/RG	DIN8Jun35.0C/P	DIN	Jun	35	FG/RG
IHP8Jun40.0C/P	IHP	Jun	40	FH/RH	DIN8Jun40.0C/P	DIN	Jun	40	FH/RH
IHP8Jun45.0C/P	IHP	Jun	45	FI/RI	DIN8Jun45.0C/P	DIN	Jun	45	FI/RI
IHP8Jun50.0C/P	IHP	Jun	50	FJ/RJ	DIN8Jun50.0C/P	DIN	Jun	50	FJ/RJ
IHP8Jun55.0C/P	IHP	Jun	55	FK/RK	DIN8Jun55.0C/P	DIN	Jun	55	FK/RK
IHP8Jun60.0C/P	IHP	Jun	60	FL/RL	DIN8Jun60.0C/P	DIN	Jun	60	FL/RL
IHP8Jun65.0C/P	IHP	Jun	65	FM/RM	DIN8Jun65.0C/P	DIN	Jun	65	FM/RM
IHP8Jun70.0C/P	IHP	Jun	70	FN/RN	DIN8Jun70.0C/P	DIN	Jun	70	FN/RN

IHP8Jul30.0C/P	IHP	Jul	30	GF/SF	DIN8Jul30.0C/P	DIN	Jul	30	GF/SF
IHP8Jul35.0C/P	IHP	Jul	35	GG/SG	DIN8Jul35.0C/P	DIN	Jul	35	GG/SG
IHP8Jul40.0C/P	IHP	Jul	40	GH/SH	DIN8Jul40.0C/P	DIN	Jul	40	GH/SH
IHP8Jul45.0C/P	IHP	Jul	45	GI/SI	DIN8Jul45.0C/P	DIN	Jul	45	GI/SI
IHP8Jul50.0C/P	IHP	Jul	50	GJ/SJ	DIN8Jul50.0C/P	DIN	Jul	50	GJ/SJ
IHP8Jul55.0C/P	IHP	Jul	55	GK/SK	DIN8Jul55.0C/P	DIN	Jul	55	GK/SK
IHP8Sep10.0C/P	IHP	Sep	10	IB/UB	DIN8Sep10.0C/P	DIN	Sep	10	IB/UB
IHP8Sep12.5C/P	IHP	Sep	12.5	IV/UV	DIN8Sep12.5C/P	DIN	Sep	12.5	IV/UV
IHP8Sep15.0C/P	IHP	Sep	15	IC/UC	DIN8Sep15.0C/P	DIN	Sep	15	IC/UC
IHP8Sep17.5C/P	IHP	Sep	17.5	IW/UW	DIN8Sep17.5C/P	DIN	Sep	17.5	IW/UW
IHP8Sep20.0C/P	IHP	Sep	20	ID/UD	DIN8Sep20.0C/P	DIN	Sep	20	ID/UD
IHP8Sep22.5C/P	IHP	Sep	22.5	IX/UX	DIN8Sep22.5C/P	DIN	Sep	22.5	IX/UX
IHP8Sep25.0C/P	IHP	Sep	25	IE/UE	DIN8Sep25.0C/P	DIN	Sep	25	IE/UE
IHP8Sep30.0C/P	IHP	Sep	30	IF/UF	DIN8Sep30.0C/P	DIN	Sep	30	IF/UF
IHP8Sep35.0C/P	IHP	Sep	35	IG/UG	DIN8Sep35.0C/P	DIN	Sep	35	IG/UG
IHP8Sep40.0C/P	IHP	Sep	40	IH/UH	DIN8Sep40.0C/P	DIN	Sep	40	IH/UH
IHP8Sep45.0C/P	IHP	Sep	45	II/UI	DIN8Sep45.0C/P	DIN	Sep	45	II/UI
IHP8Sep50.0C/P	IHP	Sep	50	IJ/UJ	DIN8Sep50.0C/P	DIN	Sep	50	IJ/UJ
IHP8Sep55.0C/P	IHP	Sep	55	IK/UK	DIN8Sep55.0C/P	DIN	Sep	55	IK/UK
IHP8Sep60.0C/P	IHP	Sep	60	IL/UL	DIN8Sep60.0C/P	DIN	Sep	60	IL/UL
IHP8Sep65.0C/P	IHP	Sep	65	IM/UM	DIN8Sep65.0C/P	DIN	Sep	65	IM/UM
IHP8Sep70.0C/P	IHP	Sep	70	IN/UN	DIN8Sep70.0C/P	DIN	Sep	70	IN/UN
IHP8Dec30.0C/P	IHP	Dec	30	LF/XF	DIN8Dec30.0C/P	DIN	Dec	30	LF/XF
IHP8Dec35.0C/P	IHP	Dec	35	LG/XG	DIN8Dec35.0C/P	DIN	Dec	35	LG/XG
IHP8Dec40.0C/P	IHP	Dec	40	LH/XH	DIN8Dec40.0C/P	DIN	Dec	40	LH/XH
IHP8Dec45.0C/P	IHP	Dec	45	LI/XI	DIN8Dec45.0C/P	DIN	Dec	45	LI/XI
IHP8Dec50.0C/P	IHP	Dec	50	LJ/XJ	DIN8Dec50.0C/P	DIN	Dec	50	LJ/XJ
IHP8Dec55.0C/P	IHP	Dec	55	LK/XK	DIN8Dec55.0C/P	DIN	Dec	55	LK/XK
IHP8Dec60.0C/P	IHP	Dec	60	LL/XL	DIN8Dec60.0C/P	DIN	Dec	60	LL/XL
IHP8Dec65.0C/P	IHP	Dec	65	LM/XM	DIN8Dec65.0C/P	DIN	Dec	65	LM/XM

Questions regarding this release may be directed to Listings Administration at 1-800-THE-PHLX, choice #2, or (215) 496-1508.